

Webex App In-Meeting Events

The following table provides a complete list of all the client-side metrics that Webex App processes, along with clear descriptions for each one.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
openInMeetingChatPrivilegePanel		Open in-meeting chat privilege panel
[(shareMgr)]onDocumentSharingSessionCreateIndication		Attendee receives a notification that document sharing session is created successfully, then the attendee can join in this session.
[(shareMgr)]wrap SessionInst		Internal client behavior
access_media_success		Internal client behavior
activate-eraser		Activate eraser
activate-pen		Active pen
aiAssistantInMeeting.actionForMe		Click the "What are the action items" button in AI Assistant panel
aiAssistantInMeeting.afterJoinToastSummarizeForMeBtnClick		Click the "Summarize" button in the join late nudge notification
aiAssistantInMeeting.aiAssistantFTEOpenBtnClick		Click to open the AI Assistant first-time experience.
aiAssistantInMeeting.aiAssistantFTEPopup		View the AI Assistant first-time experience popup.
aiAssistantInMeeting.aiPanelCopyBtnClick		Copy content from the AI Assistant panel.
aiAssistantInMeeting.aiPanelInMeetingEmptyState		View the AI Assistant panel when no actions are available.
aiAssistantInMeeting.aiPanelInMeetingFTE		View the AI Assistant panel first-time experience during a meeting.
aiAssistantInMeeting.aiPanelSettingBtnClick		Click to access AI Assistant settings from the panel.
aiAssistantInMeeting.aiPanelSummarizeForMeBtnClick		Click "Summarize for Me" button in the AI Assistant panel.
aiAssistantInMeeting.aiPanelSummarizeFromStartBtnClick		Click "Summarize from the summary start" in the AI Assistant panel.
aiAssistantInMeeting.aiPanelSummarizeLast15MinutesBtnClick		Click "Summarize the last 15 minutes" in the AI Assistant panel.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
aiAssistantInMeeting.allowAnyoneStartSettingClick		Change settings to anyone can start the AI Assistant.
aiAssistantInMeeting.allowHostCohostStartSettingClick		Change settings to only host or cohost can start AI Assistant.
aiAssistantInMeeting.askAnything		Submit a question to the AI Assistant.
aiAssistantInMeeting.closeAiPanel		Close the AI Assistant panel.
aiAssistantInMeeting.confirmSpokenLanguageDialogPopup		Confirm spoken language in the AI Assistant dialog.
aiAssistantInMeeting.dontShowConfirmSpokenLanguageDialog		Opt out of showing the spoken language confirmation dialog.
aiAssistantInMeeting.joinLateNudgePopup		Show a nudge popup for joining the meeting late.
aiAssistantInMeeting.joinLateNudgeSummarizeButtonClick		Summarize the meeting after joining late.
aiAssistantInMeeting.meetingActionBarAiBtnClick		Click the AI Assistant button in the meeting action bar.
aiAssistantInMeeting.mentionForMe		Click the "Was my name mentioned" button in AI Assistant panel.
aiAssistantInMeeting.openAiPanel		Open AI Assistant panel.
aiAssistantInMeeting.saveNothingSettingClick		Set AI Assistant to save no data after the meeting
aiAssistantInMeeting.saveSummaryAndTranscriptSettingClick		Set AI Assistant to save both summary and transcript after the meeting
aiAssistantInMeeting.saveSummarySettingClick		Set AI Assistant to save only the summary after the meeting
aiAssistantInMeeting.setSpokenLanguageFromCCOptions		Set spoken language from closed caption options.
aiAssistantInMeeting.setSpokenLanguageFromConfirmLanguageDialog		Set spoken language from the confirmation dialog.
aiAssistantInMeeting.setSpokenLanguageFromMeetingOptions		Set spoken language from meeting options.
aiAssistantInMeeting.startSummary		Start AI Assistant summary in the meeting.
aiAssistantInMeeting.stepAwayNudgePopup		Show a nudge popup after stepping away and back to the meeting.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
aiAssistantInMeeting.stepAwayNudgeSummarizeBtnClick		Summarize the meeting after stepping away and back to the meeting.
aiAssistantInMeeting.stopSummary		Stop AI Assistant summary in the meeting.
aiAssistantInMeeting.summarizeForMe		Request meeting summary from the AI Assistant.
allowDirectChatWithHostOrCohostClicked		Click the "allow to chat with Host or Cohost" button
allowDirectChatWithOtherParticipantsClicked		Click the "allow to chat with other participants" button
allowDirectChatWithPresenterClicked		Click the "allow to chat with presenter" button
allowPublicChatClicked		Click the "allow to chat with everyone" button
app launch pair		Application launched paired
app_loaded		Application loaded
appleBuiltInVideoEffects.centerStage		Enable Apple's built-in Center Stage video effect.
appleBuiltInVideoEffects.portraitEffect		Enable Apple's built-in Portrait video effect.
appleBuiltInVideoEffects.reactionEffectGestures		Enable Apple's built-in gesture-based reaction effects.
appleBuiltInVideoEffects.studioLight		Enable Apple's built-in Studio Light video effect.
applyInMeetingChatPrivilegeClicked		Click the apply button to save all privilege settings
attendee leave passively		Attendee leave passively for the reason such as host terminated the meeting or expel a user
audioControl.moderatedUnmute		Click the moderate unmute button from the participant list.
audioControl.muteAllParticipantsAudio		Meeting host mutes the audio of all participants in the meeting.
audioControl.muteParticipantAudio		Mute participant audio
audioControl.muteSelfAudio		Mute audio
audioControl.setHardMute		Meeting host enforces a strict mute on a participant, preventing self-unmuting.
audioControl.setMuteOnEntry		Meeting host enables the setting "auto mute participant on entry".
audioControl.switchAudio		Click the switch audio menu.
audioControl.switchMicrophoneDevice		Switches the microphone device.
audioControl.switchMicrophoneDeviceAsSystem		Switches to use system microphone device

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
audioControl.switchSmartAudio		Toggles smart audio feature
audioControl.switchSpeakerDevice		Switch speaker device.
audioControl.switchSpeakerDeviceAsSystem		Switch to use system speaker device
audioControl.unmuteAllParticipantsAudio		Unmutes the audio of all participants
audioControl.unmuteParticipantAudio		Unmutes a participant's audio.
audioControl.unmuteSelfAudio		Unmute audio
audioControl.updateMuteSelfAudioToServer		Let backend service know about mute self audio
audioControl.updateUnmuteSelfAudioToServer		Let backend service know about unmute self audio
audioCSI_cache_allocate		Meeting will allocate a unique ID called (CSI)cisco streaming identification for each audio device in the meeting, the event is to allocate data cache for audio cisco streaming identification when a new audio device joins in the meeting or a new user prepare to subscribe the existing audio device.
audioCSI_cache_set		Set cache for audio cisco streaming identification when a new audio device joins in the meeting or a new user prepare to subscribe the existing audio device.
audioCSI_cache_subscribe		Attendee subscribe audio (CSI) cisco streaming identification to receive audio streaming
audioSessionJoinSuccess.mediaOverSgnChn_false		Audio media transmission will not be on a single channel
audioSettings.windowsAPOMode		What audio setting is used about Windows audio signal processing.
autoHideCallControl.mobileAutoHideCallControl Off		Disable auto-hiding of call controls on mobile.
autoHideCallControl.mobileAutoHideCallControl On		Enable auto-hiding of call controls on mobile.
autoMute		Triggered when the meeting client automatically mutes user's audio source once the user joins in Webex
avatar_cache_allocate		Avatar cache allocation
avatar_cache_set		Avatar cache set

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
avatar_cache_subscribe		Avatar cache subscribe
blockquote_count		Click the block quote button
bold_count		Click the text bold button
breakoutSession.addBreakoutSession		Add new breakout session.
breakoutSession.admitLobbyUserToBreakout		Admit a participant from the lobby into a breakout session.
breakoutSession.askAllReturn		Request all participants to return to the main meeting from breakout sessions.
breakoutSession.askForHelp		Request assistance during a breakout session.
breakoutSession.cancelAutomaticClose		Cancel the automatic closure of breakout sessions.
breakoutSession.closeBreakoutSession		Close the breakout session assignment window.
breakoutSession.createAnyoneCanJoin		Create breakout session that anyone can join.
breakoutSession.createAuto		Create breakout sessions with automatic participant assignment.
breakoutSession.createAutoWithCohost		Create breakout sessions with automatic assignment for participants including cohosts.
breakoutSession.createManual		Create breakout sessions with manual participant assignment.
breakoutSession.deleteBreakoutSession		Delete a specific breakout session.
breakoutSession.disableBreakoutSession		Disable the breakout session feature for the meeting.
breakoutSession.enableBreakoutSession		Enable the breakout session feature for the meeting.
breakoutSession.endBreakoutSession		End all breakout sessions
breakoutSession.exchangeUser		Swap a user between two breakout sessions.
breakoutSession.joinFromAssignment		Join breakout session from breakout session assignment window.
breakoutSession.joinFromControlBar		Join breakout session from the control bar.
breakoutSession.joinFromPlist		Join breakout session from the participant list.
breakoutSession.joinFromPopup		Join breakout session from a popup prompt.
breakoutSession.joinFromSessionList		Join breakout session from the session list.
breakoutSession.leaveFromAssignment		Leave breakout session from breakout session assignment window.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
breakoutSession.leaveFromCallWindow		Leave breakout session from the end meeting dialog.
breakoutSession.leaveFromControlBar		Leave breakout session from the control bar.
breakoutSession.leaveFromPopup		Leave breakout session from the ask to return popup prompt.
breakoutSession.lockAllSessions		Lock all breakout sessions.
breakoutSession.lockSession		Lock a specific breakout session.
breakoutSession.moveFromBreakoutToLobby		Move a participant from a breakout session to the lobby.
breakoutSession.moveToSession		Move unassigned participants to a breakout session.
breakoutSession.moveUser		Move a participant from one breakout session to another breakout session.
breakoutSession.openBreakoutSession		Open the breakout session assignment window.
breakoutSession.openBroadcast		Open the broadcast message window.
breakoutSession.removeUser		Remove a participant from a breakout session.
breakoutSession.renameBreakoutSession		Rename a specific breakout session.
breakoutSession.resetBreakoutSession		Resets all breakout session assignments and settings.
breakoutSession.sendBroadcast		Send a broadcast message.
breakoutSession.startBreakoutSession		Start a breakout sessions.
breakoutSession.unlockAllSessions		Unlock all breakout sessions.
breakoutSession.unlockSession		Unlock a specific breakout session.
BreakoutSessionInfo		Get break out session information
breakoutSessionSettings.breakoutAllowJoinLater		Configure breakout session to allow joining later during the meeting.
breakoutSessionSettings.breakoutAllowReturnTo Main		Configure breakout session to allow returning to the main session during the meeting.
breakoutSessionSettings.breakoutDelayCloseTime		Set breakout session delay close time during the meeting.
breakoutSessionSettings.breakoutDuration		Set breakout session duration during the meeting.
call_video_layout_event		Video layout settings are stored.
call_window_event		Summary of actions taken on call windows.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
callEnd		Call overall statistics about just-ended calling or meeting join.
callJoinAPI		Client call join API to join in meeting
callMeCountryMetrics		Call Me' feature setting is recorded with country-specific metrics.
callUsage		User's call usage data is stored
camera_init		Camera device initialized
CancelEdit		Cancel current editing message action
client_contact_resolution		Status of client resolving a contact.
client_contact_resolution		Status of client resolving a contact.
client_file_download		Status of client downloading a file.
client_file_download		Status of client downloading a file.
client_guestjoin_aggregated		Joins a meeting as a guest, with aggregated data recorded.
client_joinmeeting	JoinMeeting_CaptchaRequired	Client shows captcha required screen if this meeting requires captcha.
client_joinmeeting	JoinMeeting_Disclaimer_Accept_Clicked	Accepts the meeting disclaimer after clicks 'Join' button in IS page.
client_joinmeeting	JoinMeeting_Disclaimer_Decline_Clicked	Declines the meeting disclaimer after clicks 'Join' button in IS page..
client_joinmeeting	JoinMeeting_EnterGuestInfo_Next_Clicked	Enter guest information and clicks 'Next'.
client_joinmeeting	JoinMeeting_EnterMeetingAndGuestInfo_Next_Clicked	Enter both meeting and guest information and clicks 'Next' which is only functional for mobile platforms.
client_joinmeeting	JoinMeeting_EnterMeetingInfo_Next_Clicked	Input meeting link and clicks 'Next' button to join a meeting.
client_joinmeeting	JoinMeeting_EnterMeetingPassword_Next_Clicked	Enter the meeting password and clicks 'Next'.
client_joinmeeting	JoinMeeting_GuestLoginRequired_OkButton_Clicked	Click the 'OK' button when guest login is required.
client_joinmeeting	JoinMeeting_GuestLoginRequired_SignIn_Clicked	Click the 'Sign in' button in the sign in required screen.
client_joinmeeting	JoinMeeting_GuestLoginRequired_UseDifferentEmail_Clicked	Click the 'Use a different email' button for the meeting cross org policy.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
client_joinmeeting	JoinMeeting_HandleCancelButton_Clicked	Click the 'Cancel' button during the join meeting process.
client_joinmeeting	JoinMeeting_JoinAsAGuest_Clicked	Click the 'Join as a guest' button after input meeting link in browser and app was cross launched
client_joinmeeting	JoinMeeting_MeetingLink_Clicked	Click the meeting link to join a meeting.
client_joinmeeting	JoinMeeting_SignInAndJoin_Clicked	Click the 'Sign in and Join' button after input meeting link in browser and app was cross launched
client_joinmeeting	JoinMeeting_SignUp_Clicked	Click the 'sign up' if user didn't sign up before in the sign in screen
client_joinmeeting	JoinMeeting_SubmitCaptchalInfoClicked	Submits CAPTCHA information to proceed with joining.
client_joinmeeting	JoinMeeting_ValidateMeetingInputRequestParam Type	Client validates the meeting input params
client_joinmeeting	StartScreen_JoinAMeeting_Clicked	Click the 'Join a Meeting' button on the start screen.
client_meeting_call_end_performance		Call overall performance statistics about just-ended calling or meeting join.
client_mercury_connection		Client establishes a connection to the backend service.
client_mercury_connection		Client establishes a connection to the Webex service.
client_onboarding_signup_signin_unified	OB_ActivationLink	Click an activation link to activate account which is only functional for mobile platforms.
client_onboarding_signup_signin_unified	OB_AuthorizeViaOAuthHelperService	Client authorizes using the OAuth helper service which is only functional for windows platform.
client_onboarding_signup_signin_unified	OB_BrowserAuth	Client initiates browser-based authentication.
client_onboarding_signup_signin_unified	OB_BrowserAuth_ScreenCancel_Clicked	Click the 'Cancel' on the browser authentication screen.
client_onboarding_signup_signin_unified	OB_CheckUserActivationStatus	Client checks the activation status based on the email that user input.
client_onboarding_signup_signin_unified	OB_ClientCredentialsToken	Client requests a client credentials token for authentication.
client_onboarding_signup_signin_unified	OB_Complete	Client completes the onboarding process.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
client_onboarding_signup_signin_unified	OB_CreatePassword_Validate	Client receives the validation check from server after the password entered for sign-up.
client_onboarding_signup_signin_unified	OB_CreatePasswordScreen_Create_Clicked	Click the 'Create' on the create password screen for sign-up.
client_onboarding_signup_signin_unified	OB_DataWarehouseInitialized	Client initializes the local data warehouse.
client_onboarding_signup_signin_unified	OB_DiscoverServices	Client initiates discovery of available Webex services based on the email.
client_onboarding_signup_signin_unified	OB_EnterNameScreen_Enter_Clicked	Enter name and clicks 'Enter'.
client_onboarding_signup_signin_unified	OB_EnterPin_SendItAgain_Clicked	Click the 'Send the Code Again' button to resend the PIN for sign-up.
client_onboarding_signup_signin_unified	OB_EnterPin_Verify	Client sends request to server to valid the entered PIN for sign-up.
client_onboarding_signup_signin_unified	OB_EnterPinScreen_Entered	Enter a PIN on the PIN entry screen for sign-up.
client_onboarding_signup_signin_unified	OB_EnterUserName	Enter username for sign-up.
client_onboarding_signup_signin_unified	OB_FetchRegion	Client retrieves region information for sign-in triggered by joining a meeting.
client_onboarding_signup_signin_unified	OB_GetMyInfo	Client retrieves user's account information before unlink this account.
client_onboarding_signup_signin_unified	OB_HandleAttemptTo_LoginWithCachedUser	Attempt log in with a cached user account.
client_onboarding_signup_signin_unified	OB_HandleAttemptTo_LoginWithMigrationUser	Attempt to log in with a migrated user account.
client_onboarding_signup_signin_unified	OB_HandleBackButton_Clicked	Click the back button during onboarding.
client_onboarding_signup_signin_unified	OB_HandleMdmCheck	Trigger a mobile device management (MDM) check.
client_onboarding_signup_signin_unified	OB_HandleUnlink_ThirdPartyProvider_NextClicked	Click the 'Next' button to unlink a third-party provider account.
client_onboarding_signup_signin_unified	OB_IntuneEnrollmentStatus	Client checks the Intune enrollment status for device.
client_onboarding_signup_signin_unified	OB_LoginComplete_Failed	Client encounters a failed login attempt.
client_onboarding_signup_signin_unified	OB_OAuthRedirection	Client gets the Auth code after OAuth redirection for authentication.
client_onboarding_signup_signin_unified	OB_PerformUserActivation	Client receives the user activation status after perform user activation
client_onboarding_signup_signin_unified	OB_PopupScreen_NegativeBtn_Clicked	Click the 'Cancel' button on a popup screen.
client_onboarding_signup_signin_unified	OB_PopupScreen_PositiveBtn_Clicked	Click the 'Quit' button on a popup screen.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
client_onboarding_signup_signin_unified	OB_PopupScreen_SwitchAppConfig_NegativeBtn_Clicked	Click the 'Cancel' button to decline switching app configuration.
client_onboarding_signup_signin_unified	OB_PopupScreen_SwitchAppConfig_PositiveBtn_Clicked	Click the 'Quit' button to switch app configuration.
client_onboarding_signup_signin_unified	OB_PopupScreen_SwitchToOldSignIn_NegativeBtn_Clicked	Click the 'Cancel' button to decline switching to the old sign-in flow.
client_onboarding_signup_signin_unified	OB_PopupScreen_SwitchToOldSignIn_PositiveBtn_Clicked	Click the 'Quit' button to switch to the old sign-in flow.
client_onboarding_signup_signin_unified	OB_ResetOnboardingViewModel	Client resets the onboarding cached data after user cancels the sign-in or sign-up flow.
client_onboarding_signup_signin_unified	OB_SettingsMenu_Clicked	Click the settings menu on the left bottom of onboarding screen.
client_onboarding_signup_signin_unified	OB_SettingsMenuOption_Clicked	Selection an option from the settings menu.
client_onboarding_signup_signin_unified	OB_SignIn_AlternateOk_Clicked	Click the 'OK' on the alternate sign-in screen.
client_onboarding_signup_signin_unified	OB_SignIn_AlternateOneTimePin_Clicked	Click the to use an alternate one-time PIN for sign-in.
client_onboarding_signup_signin_unified	OB_SignIn_AlternateScreen_SignInViaThirdParty_Clicked	Click to sign in via a third-party provider on the alternate screen.
client_onboarding_signup_signin_unified	OB_SignIn_ChooserScreen_SignIn_Clicked	Click the 'Sign In' on the chooser screen.
client_onboarding_signup_signin_unified	OB_SignIn_ChooserScreen_SignInViaThirdParty_Clicked	Click a third-party provider button to sign in on the chooser screen.
client_onboarding_signup_signin_unified	OB_SignIn_EnterEmailScreen_Next_Clicked	Enter email and clicks 'Next' for sign-in.
client_onboarding_signup_signin_unified	OB_SignIn_FedRAMPScreen_Next_Clicked	Click the 'Next' on the FedRAMP sign-in screen.
client_onboarding_signup_signin_unified	OB_SignIn_FedRAMPScreenPopUpOk_Clicked	Click the 'OK' on the FedRAMP sign-in confirmation popup.
client_onboarding_signup_signin_unified	OB_SignIn_OneTimePin_Complete	Completes sign-in using a one-time PIN.
client_onboarding_signup_signin_unified	OB_SignIn_OneTimePin_SendItAgain_Clicked	Click the to resend the one-time PIN for sign-in.
client_onboarding_signup_signin_unified	OB_SignInAlternate_GenerateUserOtp	Client sends request server to generate a one-time PIN for alternate sign-in.
client_onboarding_signup_signin_unified	OB_SignUp_ChooserScreen_SignUp_Clicked	Click the 'Sign Up' on the chooser screen.
client_onboarding_signup_signin_unified	OB_SignUp_ChooserScreen_SignUpViaThirdParty_Clicked	Click the third-party provider to sign up on the chooser screen.
client_onboarding_signup_signin_unified	OB_SignUp_EnterEmailScreen_Next_Clicked	Enter email and clicks 'Next' for sign-up.
client_onboarding_signup_signin_unified	OB_StartScreen_CreateNewAccount_Clicked	Click the 'Sign up' on the start screen.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
client_onboarding_signup_signin_unified	OB_StartScreen_FedRAMPUser_Clicked	Click the 'Webex for Government' option to sign in as a FedRAMP user on the start screen.
client_onboarding_signup_signin_unified	OB_StartScreen_JoinMeeting_Clicked	Click the 'Join a Meeting' on the start screen.
client_onboarding_signup_signin_unified	OB_StartScreen_SignIn_Clicked	Click the 'Sign In' on the start screen.
client_onboarding_signup_signin_unified	OB_StartupCompleted	Client completes the sign up process for onboarding.
client_onboarding_signup_signin_unified	OB_SystemBrowserAuth	Client initiates system browser-based authentication.
client_onboarding_signup_signin_unified	OB_Unlink_ThirdPartyProvider	Unlink a third-party provider after clicking the button 'Unlink an account'.
client_onboarding_signup_signin_unified	OB_UserActivated	Account is activated after input an email address and click 'Next' button
client_onboarding_signup_signin_unified	OB_UserNotFound	Account can't be found after input an email address and click 'Next' button
client_onboarding_signup_signin_unified	OB_UserPending	Account is pending in activation after input an email and click 'Next' button
client_phone_number_search		Phone number search setting are stored
client_set_user_activity_presence		Presence has been changed
client_set_user_activity_presence		Activity or presence has been changed
client_space_group_manager_action		Overall event name for space management actions, such as "add/update/remove" space sections
client_space_group_manager_action		Overall event name for space management actions, such as "add/update/remove" space sections
client_space_group_sync_record		Overall event name for space sync up, such as sync up sections, conversation is added in a section or removed from a section
client_space_group_sync_record		Overall event name for space sync up, such as sync up sections, conversation is added in a section or removed from a section
client_space_list_preferences_login		Space related settings, such as current theme, if message is enabled, etc.
client_space_list_preferences_login		Space related settings, such as current theme, if message is enabled, etc.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
client_switch_tabs		Switches the tab on the main window.
client_switch_tabs		Switches the tab on the main window.
client_wdm		Client registers to Webex service.
client_wdm		Client registers to Webex service.
client.abort.join		Abort the meeting join during pre-join flow.
client.breakout-session.join.response		Client receives notification from backend service about being moved to the new session.
client.breakout-session.leave		Client has left the breakout session.
client.breakout-session.move.request		Client initiates a breakout-move request.
client.breakout-session.move.response		Client receives a breakout-move response from the Breakout Service.
client.call.aborted		Client aborts the call (not at the user's request).
client.call.declined		Client declines the incoming call request.
client.call.diagnostics		Event to report call diagnostics info.
client.call.fallback		Client login fails when a guest joins the meeting and falls back to web client join.
client.call.info		Event to report the call/meeting summary.
client.call.initiated		Client initiates a call/meeting join
client.call.leave		Client left the call by interacting with the UI.
client.call.move-media		Client moves the media to another device
client.call.remote-ended		Remote side ends the call
client.call.remote-started		Remote side starts the call
client.click.pre-join		When the client clicks the join link/button, such as OBTP, then sends it.
client.conversation.request		When the client sends a request to conversation related to a call/meeting.
client.conversation.response		When the client receives a response from a conversation related to a call/meeting.
client.crash		Client crashes during call/meeting setup.
client.daemon.job.done		The daemon (a background process) running on a client system completes a specific job or task such as preparing upcoming meeting, checking if new version updates, or upgrading client to new version in background. This event typically captures metadata about the job's execution,

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
		such as its success or failure, duration, and any relevant outcomes or errors. It is used for monitoring, debugging, and performance analysis of client-side background processes. "done" means a specific job ends.
client.daemon.join.begin		The daemon (a background process) running on a client system completes a specific job or task such as preparing upcoming meeting, checking if new version updates, or upgrading client to new version in background. This event typically captures metadata about the job's execution, such as its success or failure, duration, and any relevant outcomes or errors. It is used for monitoring, debugging, and performance analysis of client-side background processes. "begin" means a specific job begins.
client.daemon.wakeup-meeting-client		The daemon (a background process) running on a client system completes a specific job or task such as preparing upcoming meeting, checking if new version updates, or upgrading client to new version in background. This event typically captures metadata about the job's execution, such as its success or failure, duration, and any relevant outcomes or errors. It is used for monitoring, debugging, and performance analysis of client-side background processes. "wakeup-meeting-client" means we will have a meeting which need meeting client to be alive, then to receive message and join meeting.
client.device.resource-room.joined		Client pairs one device to join the meeting
client.e2ee.join.response		Client receives join response from e2ee encryption service.
client.entering-background		Mobile app is put into the background (usually mid-call).
client.entering-foreground		Mobile app is returned to the foreground (usually mid-call).

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
client.exit.app		Native client application is closed or web client browser session is closed or refreshed.
client.feature.meeting.summary		Send join meeting summary
client.feature.meeting.teams.launch		Cross launch a meeting from Webex App
client.feature.meeting.user-action		Send a user operation on the client
client.feature.mta.launch		Launch a process which the user can send meeting problem report if there is some issue on the current meeting
client.feature.report		It describes some key information about joining a meeting, such as the source of the join, user type, current client version, and so on.
client.hologram.initiated		When a hologram-capable device starts hologram video mode.
client.hologram.remote.initiated		When a client is told that another device in the meeting has started hologram.
client.hologram.remote.stopped		When a client is told that another device in the meeting has stopped hologram.
client.hologram.stopped		When a hologram-capable device stops hologram video mode.
client.ice.end		Client ends the ICE detection.
client.ice.start		Client starts the ICE detection.
client.installer.decompress-app		Web installer decompresses Webex app.
client.installer.download-app		Web installer downloads Webex app.
client.installer.end		Web installer installation ends.
client.installer.fallback		Webex installer sends the event when fallback dialog window pops up or user performs an action on the fallback dialog.
client.installer.install-app		Web installer installs Webex app.
client.installer.launch-app		Web installer launches Webex app.
client.installer.start		Web installer starts to run.
client.interstitial-window.launch		Client shows the interstitial window.
client.interstitial-window.start-launch		Client starts launching the interstitial window, after which it could wait for user to grant permissions to access camera/microphone before the window is fully launched.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
client.lobby.entered		Enter lobby.
client.lobby.exited		Leave lobby.
client.locus.decline.request		When a declined participant is sent in response
client.locus.join.request		Client has sent join request to backend service.
client.locus.join.response		Client has received the join response from backend service.
client.locus.leave.request		Client called the backend service in order to leave endpoint.
client.locus.leave.response		Client received a backend service in order to leave response.
client.locus.media.request		Update media request to the backend endpoint.
client.locus.media.response		Update media response to the request.
client.login.end		Client login ends, could be set multiple times.
client.login.start		Client starts to login.
client.media-device.error		Media device initialization failed or runtime error occurred.
client.media-device.ready		Media device ready to capture or playback.
client.media-device.stop		Media device closed normally.
client.media-engine.crash		Media engine crashed.
client.media-engine.launch		Media process has started.
client.media-engine.local-sdp-generated		Client has generated the SDP.
client.media-engine.lost		Media process disconnected from main process (e.g., heartbeat task failed to be completed within 30 seconds).
client.media-engine.ready		Media engine of client has completed the initialization.
client.media-engine.remote-sdp-received		The media engine received SDP from the remote party.
client.media-engine.start-launch		Media process starts.
client.media-status		Event to report media status info.
client.media.capabilities		Must include mediaCapabilities (defined above in EventType).
client.media.reachability		Client had to perform reachability as part of call setup.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
client.media.reconnecting		When the client loses a media session and displays the "reconnecting" screen to the user.
client.media.recovered		When the client recovers a lost media session.
client.media.render.start		Client starts to render the video on the screen.
client.media.render.stop		Client stops rendering the video.
client.media.rx.start		Client has started to receive the media data.
client.media.rx.stop		Client stops receiving the media data.
client.media.tx.start		Client starts to transmit the media data.
client.media.tx.stop		Client stops transmitting the media data.
client.meeting.app-loaded		Webex App was launched
client.meeting.click.joinbutton		Click the join button.
client.meeting.closed		Closes the meeting.
client.meeting.disclaimer-window.accepted		Accept the disclaimer.
client.meeting.disclaimer-window.closed		Close the disclaimer window.
client.meeting.disclaimer-window.showed		Show the disclaimer window.
client.meeting.docshow.request		Request meeting parameters to backend server
client.meeting.docshow.response		Received the meeting parameters from backend service
client.meeting.interstitial-window.closed		Close the interstitial window to cancel join.
client.meeting.interstitial-window.showed		Shows interstitial window.
client.meeting.join.request		Request to join the meeting
client.meeting.key-information		Track critical data points related to a meeting within a client application such as meeting type,site info, user info,client version and so on.
client.meeting.launched		The current meeting has launched
client.meeting.login-window.closed		Close the login window to cancel join.
client.meeting.login-window.showed		Shows login window.
client.meeting.login.response		Receives response from login service (success, fail, or timeout).
client.meeting.ping.response		Ping the meeting server before join the meeting
client.meeting.plugin-extension.started		Join meeting on the web browser by extension
client.meeting.resume		Wake up the client application to join the meeting
client.meeting.session.connected		Connected to backend service

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
client.meeting.start-launch		Background process launches a standby process to start the meeting
client.meeting.validated		Current meeting was validated
client.meetinginfo.request		Client sends the meeting information request.
client.meetinginfo.response		Client has received the meeting information response.
client.meetingmanagersdk.ipc.run		Connecting between background process and meeting client process
client.mercury.connection.connected		Client connects successfully.
client.mercury.connection.lost		Client lost connection to backend service.
client.mercury.connection.restored		Client restored connection to backend service
client.mercury.connection.start		Client starts to connect
client.network.changed		Client device has network change.
client.notification.received		Notification received from backend
client.onboarding-window.end		Closes or ends the onboarding window.
client.onboarding-window.start		Client shows onboarding window.
client.permission.closed		Client completes permission step - User either grants or denies permission for client to access camera/microphone.
client.permission.prompted		Client prompts user to grant permission to access camera and microphone.
client.post.meeting.hook		Show a meeting summary dialog which shows current meeting statistics, such as the number of participants
client.roap-message.received		Client received a ROAP message.
client.roap-message.sent		Client sent a ROAP message.
client.scheduling.initiate		Event name for scheduling.
client.scheduling.notification		When client receives final update from calendar service.
client.share.floor-accept.notification		Client has received a floor accepted notification.
client.share.floor-grant.cancel-request		Client cancels the floor request.
client.share.floor-grant.notification		Client knows a floor has been granted and the client should receive media.
client.share.floor-grant.request		When a client requests the floor.
client.share.floor-granted.local		When a client is informed that it has the floor.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
client.sign-in.end		Completes sign in.
client.sign-in.start		Click 'sign in' button.
client.started-after-shutdown		Client is launched after being shut down due to upgrade while in call.
client.started-from-crash		Client is launched from a crash.
client.switch.app		This event is triggered when a Webex meeting client switches from Webex classic meeting client to Webex App (for converged meeting). Typically, when a converged meeting goes to Webex classic meeting client for some reason, Webex classic meeting client recognizes it is not a classic meeting, then will switch to Webex app.
client.terminate.app		Sent when client is terminated (exit abnormally).
client.unmuted		Mute pressed. mediaType indicates audio or video.
client.waiting.user-action		When no closure event is sent on guest join flow for 3 minutes.
client.warhol.downloaded		When a client has downloaded the whiteboard client in web view.
client.wdm.device-registration.request		Client sends request to register device to WDM.
client.wdm.device-registration.response		Client has received device registration response from WDM.
client.webapp-download.end		Client has downloaded the whole package.
client.webapp-download.in-progress		Client downloads the package in progress.
client.webapp-download.start		Client starts to download the first package.
client.webexapp.launch		Client is launched.
client.webexapp.start-launch		Client starts launching.
client.whiteboard.loaded		When client first begins to receive whiteboard media.
closeInMeetingChatPrivilegePanel		Click the close button to close the in meeting chat privilege panel
code_count		Click the code button
CollapseThread		Collapses a thread
companionMode.cancelJoin		Click on "cancel join" during the meeting.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
companionMode.moveMedia		Move original device media to a companion device during the meeting.
companionMode.moveMeeting		Click "move meeting here" during the meeting.
companionMode.preferenceChooseMoveEveryTime		Click "let me choose every time" during the meeting.
companionMode.preferencePreferMoveMeeting		Click "Prefer move meeting (default)" during the meeting.
companionMode.preferenceTurnOffMoveMeeting		Click "turn-off move meeting" during the meeting.
container-loaded-mc		Internal client behavior
CopyMessageLink		Copy one message link
create telephony session success		Created telephony session successfully
create telephony session with session info		Create telephony session
crossOrgInMeetingPolicy.cloudAndLocalRecordingProhibitedAlert		Alert shown when clicking the record button if cloud and local recording are prohibited by meeting policy.
crossOrgInMeetingPolicy.disallowChat		Alert shown when clicking the chat panel button if the organization policy disables chat.
crossOrgInMeetingPolicy.disallowCPUMsgForEnforceVBG		Prohibited from receiving CPU messages for enforced virtual background during the meeting.
crossOrgInMeetingPolicy.disallowGiveControlDesktopBySelf		Alert shown when giving remote desktop control fails due to self policy prohibition.
crossOrgInMeetingPolicy.disallowLiveAnnotation		Alert shown when starting live annotation if in-meeting policy is not allowed.
crossOrgInMeetingPolicy.disallowNewWhiteboard		Alert shown when clicking the new whiteboard button if in-meeting policy is not allowed.
crossOrgInMeetingPolicy.disallowOpenCCDialog		Prohibited from opening the CC dialog during the meeting.
crossOrgInMeetingPolicy.disallowOpenCCPanel		Prohibited from opening the CC panel during the meeting.
crossOrgInMeetingPolicy.disallowOpenWhiteboard		Block UI shown when trying to open a whiteboard if in-meeting policy is not allowed.
crossOrgInMeetingPolicy.disallowReceiveBOMessage		Prohibited from receiving breakout session messages during the meeting.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
crossOrgInMeetingPolicy.disallowReceiveShareFileContent		Prohibited from receiving shared file content during the meeting.
crossOrgInMeetingPolicy.disallowRequestControlDesktopByRemote		Alert shown when requesting remote desktop control fails due to remote user policy prohibition.
crossOrgInMeetingPolicy.disallowRequestControlDesktopBySelf		Alert shown when requesting remote desktop control fails due to self-policy prohibition.
crossOrgInMeetingPolicy.disallowShareCamera		Prohibited from sharing the camera during the meeting.
crossOrgInMeetingPolicy.disallowShareContent		Prohibited from sharing content during the meeting.
crossOrgInMeetingPolicy.disallowShareExistingWhiteboard		Alert shown when sharing an existing whiteboard if in-meeting policy is not allowed.
crossOrgInMeetingPolicy.disallowShareFile		Prohibited from sharing files during the meeting.
crossOrgInMeetingPolicy.disallowTransferFiles		Alert shown when clicking the content panel button if file transfer is disabled by organization policy.
crossOrgInMeetingPolicy.disallowVideoForEnforcedVBG		Prohibited from using video for enforced virtual background during the meeting.
crossOrgInMeetingPolicy.enforceVirtualBackground		Start video with enforced virtual background during the meeting.
crossOrgInMeetingPolicy.meetingLevelVoipMismatch		Encounter a mismatch in meeting-level VoIP capability metrics during the meeting.
crossOrgInMeetingPolicy.userLevelVoipDisable		Prohibited from using VoIP due to user-level policy during the meeting.
customizedLobby.downloadImage		Download image for customized lobby
customizedLobby.enterLobby		Enter customized lobby.
customizedLobby.exitLobby		Exit customized lobby.
customizedLobby.playVideo		Play a video in the customized lobby.
customizeTheStage.adjustStageSize		Adjusts the size of the stage.
customizeTheStage.hideActiveVideoInStage		Hides the active video on the stage.
customizeTheStage.pinVideoToStage		Pin video to the stage.
customizeTheStage.showActiveVideoInStage		Show the active video on the meeting stage.
customizeTheStage.unpinVideoToStage		Unpin a participant's video from the meeting stage.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
default video layout grid view		Video default layout mode is grid view
Delete		Delete a message
desktop_dynamic_dependency_file_download		Client downloads a dynamic dependency file for the desktop client.
desktopUltrasonicPairingEnabled		Ultrasonic pairing for desktop devices is enabled or not.
detach_self_video_success		Meeting client successfully removes its own video feed from the meeting video streaming list, which means meeting client's self video is turned off.
deviceControl.changeDeviceVolume		Changes the device volume during the meeting.
deviceControl.deviceFloatingView		Set the device layout to Floating view during the meeting.
deviceControl.deviceFocusView		Set the device layout to Focus view during the meeting.
deviceControl.deviceGridView		Set the device layout to Grid view during the meeting.
deviceControl.deviceOverlayView		Set the device layout to Overlay view during the meeting.
deviceControl.deviceProminentView		Set the device layout to Prominent view during the meeting.
deviceControl.deviceSidebysideView		Set the device layout to SideBySide view during the meeting.
deviceControl.deviceStackView		Set the device layout to Stack view during the meeting.
deviceControl.hideSelfViewVideo		Hide the self-view video on the device during the meeting.
deviceControl.hideShareOnDevice		Hide the shared content on the device during the meeting.
deviceControl.muteDeviceAudio		Mute the device audio during the meeting.
deviceControl.muteDeviceVideo		Mute the device video during the meeting.
deviceControl.unmuteDeviceAudio		Unmute the device audio during the meeting.
deviceControl.unmuteDeviceVideo		Unmute the device video during the meeting.
deviceMoveMeeting.moveToClient		Move the meeting from the device to the client during the meeting.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
deviceMoveMeeting.moveToDevice		Move the meeting from the client to the device during the meeting.
deviceMoveMeeting.openMoveToClientDialog		Click move-in menu item during the meeting.
deviceMoveMeeting.openMoveToDeviceDialog		Click move-out menu item during the meeting.
directionalAudio.turnOffDirectionalAudio		Disable directional audio for the meeting.
directionalAudio.turnOnDirectionalAudio		Enable directional audio for the meeting.
DisallowChat		Host/Cohost disallows chat function in the Meeting/Webinar
DisallowTransferFiles		Host/Cohost disallows content function in the Meeting/Webinar
discovery_dismissed		Dismiss User Guidance prompt.
do prejoin		To reduce the join meeting time for the upcoming meeting, client will do some preparation such as initializing UX in background, loading file and creating related process/sub process. This event will be triggered when client does the preparation.
Edit		Edits one selected message
editParticipantDisplayName.editDisplayNameAsCohost		Edit another participant's display name as a cohost during the meeting.
editParticipantDisplayName.editDisplayNameAsHost		Edit another participant's display name as a host during the meeting.
editParticipantDisplayName.editSelfDisplayName		Edited display name during the meeting.
enable quality indicator		Client enables quality indicator(User can tab navigate to quality indicator)
endMeetingOptions.assignHost		Assign a new host during the meeting.
endMeetingOptions.endCallForEveryone		End the call for everyone during the meeting.
entryExitTone.cohostDisableEntryExitTone		Cohost disables entry/exit tone in the meeting.
entryExitTone.cohostEnableEntryExitTone		Cohost enables entry/exit tone in the meeting.
entryExitTone.entryExitToneOff2On		Entry/exit tone is disabled at the beginning, then enabled in the meeting.
entryExitTone.entryExitToneOn2Off		Entry/exit tone is enabled at the beginning, then disabled in the meeting.
entryExitTone.hostDisableEntryExitTone		Host disables entry/exit tone in the meeting.
entryExitTone.hostEnableEntryExitTone		Host enables entry/exit tone in the meeting.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
event_max_cam_resolution		Data point collected by a system to record the maximum camera resolution used or supported during a specific event or operation. This telemetry event typically captures details such as the highest resolution setting (e.g., 1080p, 4K, or specific pixel dimensions like 1920x1080) of a camera involved in the process, often in applications like video recording, streaming, or imaging systems. It helps in monitoring performance, optimizing resource usage, or troubleshooting issues related to camera functionality.
exchange CI token roundtrip		Triggered when client exchange token such as for site Or linked site
ExpandThread		Expands a thread
fast AV enabled		Fast A/V is a feature is to improve the end to end join meeting time on the desktop. This event means the feature toggle is enable.
fast_join pre_connect success		Fast join meeting is a feature that improves the end to end join meeting time. This event means client connects to related back end service successfully as part of prejoin meeting operation.
fast_join pre_ping success		Fast join meeting is a feature that improves the end to end join meeting time. this event means client ping related back end service successfully as part of prejoin meeting operation.
fast_join start pre join ping		Fast join meeting is a feature that improves the end to end join meeting time. This event means client start to ping related back end service as part of prejoin meeting operation.
filmStrip.hideFilmStrip		Hide film strip.
filmStrip.hideMeetingControls		Hide meeting control bar.
filmStrip.showFilmStrip		Show film strip.
filmStrip.showMeetingControls		Show meeting control bar.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
floatingWindowControls.backToCallWindow		Select call window
floatingWindowControls.maximizeFloating		Maximize floating meeting window.
floatingWindowControls.minimizeFloating		Minimize floating meeting window.
Forward		Forward one message
gesture.disableGesture		Disable gesture.
gesture.enableGesture		Enable gesture.
get global callin numbers		This event is triggered when Webex meeting client retrieves a list of global call-in numbers for a communication in Webex meeting. It captures instances where requests to access to phone numbers used for joining Webex calls from various geographic regions, enabling global connectivity
get_camera_list_success		This event is triggered when a request from Webex client to retrieve the list of available cameras (e.g., on a device or system) is successfully completed.
get_device_list_success		indicates that a request to retrieve a list of devices from a system or service was successfully executed.
getBOUserInfoBoSessionId		Get break out session ID for a specific break out session
getBOUserInfoTelephone		Get telephone number for a specific break out session
giphy_count		Click the giphy button
got_remote_stream		Attendee receives remote stream
GoToMessage		Click "go to message" button to jump to and select the related message
gotPresenterForShare		An attendee gets the presenter role for share content
gridViewZoom.zoomIn		Zoom in on the grid view during the meeting.
gridViewZoom.zoomOut		Zooms out of the grid view during the meeting.
guest user pairing		Login or guest user pairing to device
hardMute		Hard mute state is recorded.
heading1_count		Click the header1 button

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
heading2_count		Click the header2 button
heading3_count		Click the header3 button
heading4_count		Click the header4 button
heading5_count		Click the header5 button
heading6_count		Click the header6 button
hideMeetingControls.toggleMeetingControlsVisible		Show the control bar.
hyperlink_count		Click the hyperlink button
ice_connection_state_changed		Interactive Connectivity Establishment (ICE) connection status change
ImcChatWithAttendeeButtonClicked		Click direct chat on attendee's context menu or context button to open the 1:1 chat with attendee
ImcOpenDirectChat		Click direct chat button to open the 1:1 chat list
ImcOpenRecentsChatList		Click in-meeting chat button to open the recent chat list
ImcShowAttendeeResultsButtonClicked		Host/Cohost/Panelist clicks "Show Attendees" button to view all attendees (Webinar Only)
immersiveShare.immersiveShareApplication		Start an application immersive share during the meeting.
immersiveShare.immersiveShareScreen		Start a screen immersive share during the meeting.
immersiveShare.immersiveShareWindow		Start a window immersive share during the meeting.
immersiveShareInSharing.disableImmersiveInSharing		Disable immersive sharing during the meeting.
immersiveShareInSharing.enableImmersiveInSharing		Enable immersive sharing during the meeting.
immersiveShareInSharing.immersiveSharingWarningHighCPU		A warning dialog for high CPU usage during immersive sharing.
indent_count		Click the text indent button
interactivePairingErrorMessage		Internal client behavior
interstitial_page		Summary of user actions on the interstitial page.
interstitialAudioActions.interstitialAudioSelectButton		Select an audio option from the interstitial screen.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
interstitialAudioActions.interstitialChangeMicrophone		Change the microphone from the interstitial screen.
interstitialAudioActions.interstitialChangeSpeaker		Change the speaker from the interstitial screen.
interstitialAudioActions.interstitialMute		Mute audio from the interstitial screen.
interstitialAudioActions.interstitialSelectNoAudio		Select no audio from the interstitial screen.
interstitialAudioActions.interstitialSelectVoIP		Select VoIP audio from the interstitial screen.
interstitialAudioActions.interstitialTestAudio		Test audio settings from the interstitial screen.
interstitialAudioActions.interstitialUnmute		Unmute audio from the interstitial screen.
interstitialCallInActions.interstitialSelectCallIn		Select "Call in" for audio options
interstitialCallInActions.interstitialSelectCallMe		Select "Call me" for audio options
interstitialDeviceActions.interstitialDeviceButton		Click "Connect to a device" button in the top-right corner to show device panel
interstitialDeviceActions.interstitialDisconnectDevice		Click disconnect button to disconnect device
interstitialDeviceActions.interstitialSelectDevice		Select a device to pair in device panel
interstitialGeneralActions.interstitialJoinMeeting		Join meeting from interstitial page
interstitialVideoActions.interstitialChangeCamera		Change the camera from the interstitial screen.
interstitialVideoActions.interstitialChangeVirtualBackground		Change the virtual background from the interstitial screen.
interstitialVideoActions.interstitialEnforceVideoOff		Enforce video off from the interstitial screen.
interstitialVideoActions.interstitialEnforceVideoOn		Enforce video on from the interstitial screen.
interstitialVideoActions.interstitialInitialVideoOn		Enable video from the interstitial screen.
interstitialVideoActions.interstitialMirrorVideo		Enable video mirroring from the interstitial screen.
interstitialVideoActions.interstitialVideoOff		Turn off video from the interstitial screen.
interstitialVideoActions.interstitialVideoOn		Turn on video from the interstitial screen.
inviteAndRemindGuest.cancelPSTNInvitation		Click cancel button for a PSTN guest during the meeting.
inviteAndRemindGuest.remindMultipleParticipants		Remind multiple invitees from the remind page during the meeting.
inviteAndRemindGuest.remindOneParticipant		Remind a single invitee from the "Not in the meeting" group or remind page during the meeting.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
inviteAndRemindGuest.sendEmailInvitation		Click invite button after selecting a non-CI email during the meeting.
inviteAndRemindGuest.sendInvitation		Click invite button after selecting participants during the meeting.
inviteAndRemindGuest.sendPSTNInvitation		Click invite button after selecting a phone number during the meeting.
italic_count		Click the text italic button
join channel		Meeting client starts to join channel
join channel succeed		Meeting client starts to join channel successfully
join_mcc_media_session_success		Meeting client joins media session successfully
join_mcs_media_session_success		Meeting client joins media session successfully
join_meeting		Meeting client starts to join meeting
join_meeting_success		Join Webex meeting successfully
JoinWithVoIP		Join meeting with computer audio
JS_SDK_WDM_REGISTRATION_SUCCESSFUL		Received device registration response from WDM.
layoutMenu.automaticallyHideNames		Enables auto hide participants' names in the meeting view.
layoutMenu.enterFullScreen		Call window enters full screen mode.
layoutMenu.exitFullScreen		Call window exits full screen mode.
layoutMenu.hideLocalVideo		Local video hidden from meeting view
layoutMenu.hideNoneVideoParticipantsOFF		Disables hiding participants without active video, showing all participants.
layoutMenu.hideNoneVideoParticipantsON		Enables hiding participants without active video, showing only those with video on.
layoutMenu.reorderStage		Reorders the participants on the meeting stage
layoutMenu.selfVideoViewAlwaysFloat		Sets video feed to always appear as a floating window.
layoutMenu.selfVideoViewWithOthers		Sets video feed to display alongside other participants' videos.
layoutMenu.showAllNames		Displays the names of all participants in the meeting view.
layoutMenu.turnOffPeopleFocus		Disables the people focus feature, which emphasizes active speakers or participants.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
layoutMenu.turnOnPeopleFocus		Enables the people focus feature, highlighting active speakers or participants.
leave host end		Meeting client quits the meeting because the host terminated the meeting.
leave session		Meeting client quits the meeting session
liveAnnotation.liveAnnotationShowed		Show live annotation during the meeting.
liveAnnotation.presenterApproveAnnotationRequest		Approve an annotation request as the presenter during the meeting.
liveAnnotation.presenterDeclineAnnotationRequest		Decline an annotation request as the presenter during the meeting.
liveAnnotation.presenterStartLiveAnnotation		Start live annotation as the presenter during the meeting.
liveAnnotation.selectPermissionOption		Select permission option for live annotation during the meeting.
liveAnnotation.toolbarClickClear		Click the clear button on the annotation toolbar during the meeting.
liveAnnotation.toolbarClickClose		Click the close button on the annotation toolbar during the meeting.
liveAnnotation.toolbarClickDownload		Click the download button on the annotation toolbar during the meeting.
liveAnnotation.toolbarClickRedo		Click the redo button on the annotation toolbar during the meeting.
liveAnnotation.toolbarClickUndo		Click the undo button on the annotation toolbar during the meeting.
liveAnnotation.toolbarSelectEraser		Select the eraser tool on the annotation toolbar during the meeting.
liveAnnotation.toolbarSelectMouse		Select the mouse tool on the annotation toolbar during the meeting.
liveAnnotation.toolbarSelectPen		Select the pen tool on the annotation toolbar during the meeting.
liveAnnotation.toolbarSelectPenColor		Select pen color on the annotation toolbar during the meeting.
liveAnnotation.toolbarSelectPenWidth		Select pen width on the annotation toolbar during the meeting.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
liveAnnotation.toolbarSelectText		Select the text tool on the annotation toolbar during the meeting.
liveAnnotation.viewerClickAnnotationRequest		Click the annotation request button as a viewer during the meeting.
liveAnnotation.viewerClickLeaveAnnotation		Click the leave annotation button as a viewer during the meeting.
liveAnnotation.viewerClickLiveAnnotation		Click the live annotation button as a viewer during the meeting.
liveStreamingInMeeting.startLiveStreaming		Start live streaming during the meeting.
liveStreamingInMeeting.stopLiveStreaming		Stop live streaming during the meeting.
liveStreamingLayoutInMeeting.selectContentLayoutProminent		Select the content layout as prominent during live streaming.
liveStreamingLayoutInMeeting.selectContentLayoutSingle		Select the content layout as single during live streaming.
liveStreamingLayoutInMeeting.selectContentLayoutSinglePlusSpeaker		Select the content layout as single plus speaker during live streaming.
liveStreamingLayoutInMeeting.selectVideoLayoutEqual		Select the video layout as equal during live streaming.
liveStreamingLayoutInMeeting.selectVideoLayoutProminent		Select the video layout as prominent during live streaming.
liveStreamingLayoutInMeeting.selectVideoLayoutSingle		Select the video layout as single during live streaming.
liveStreamingSyncStage.disableSyncStage		Disable sync stage for live streaming.
liveStreamingSyncStage.enableSyncStage		Enable sync stage for live streaming.
lobby.admitParticipants		Admit participants from the lobby into the meeting.
lobby.moveParticipantToLobby		Move a participant to the lobby.
lobby.removeParticipants		Remove participants from the lobby.
lockMeeting.lockMeeting		Lock the meeting
lockMeeting.unlockMeeting		Unlock the meeting
Login		Logged into the Webex application.
mecuryTimeSyncMetric		Internal client behavior
media_Stats		Event to collect media related data such as audio bandwidth, audio jitter, audio pack lose and so on

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
mediaErrorNotification.popupAudioErrorMicrophoneAndSpeakerNotFound		Render popup indicating no microphone or speaker is found.
mediaErrorNotification.popupAudioErrorMicrophoneConnectFail		Render popup indicating a failure to connect the microphone.
mediaErrorNotification.popupAudioErrorMicrophoneNotFound		Render popup indicating no microphone is found.
mediaErrorNotification.popupAudioErrorMicrophoneNoPermission		Render popup indicating no permission to access the microphone.
mediaErrorNotification.popupAudioErrorSpeakerConnectFail		Render popup indicating a failure to connect the speaker.
mediaErrorNotification.popupAudioErrorSpeakerNotFound		Render popup indicating no speaker is found.
mediaErrorNotification.popupVideoErrorCameraConnectFail		Render popup indicating a failure to connect the camera.
mediaErrorNotification.popupVideoErrorCameraNotFound		Render popup indicating no camera is found.
mediaErrorNotification.popupVideoErrorCameraNoPermission		Render popup indicating no permission to access the camera.
mediaErrorNotification.popupVideoErrorCameraOccupied		Render popup indicating the camera is occupied by another application.
mediaview_cache_allocate		Media engine cache allocate successfully
mediaview_cache_set		Media engine cache set successfully
mediaview_cache_subscribe		Media engine cache subscribe successfully
meeting.joined		Triggered when a user joins a Webex meeting session successfully, which helps track meeting attendance, join in meeting time or join meeting success during the join process.
meetingActionSounds.chatConditionAlways		Set chat sound condition to always during the meeting.
meetingActionSounds.chatConditionFirstMessage		Set chat sound condition to first message during the meeting.
meetingActionSounds.chatConditionPanelClosed		Set chat sound condition to panel closed during the meeting.
meetingActionSounds.raiseHandConditionAlways		Set raise hand sound condition to always during the meeting.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
meetingActionSounds.raiseHandConditionPanelClosed		Set raise hand sound condition to panel closed during the meeting.
meetingActionSounds.selectDefaultChatSound		Select default chat sound during the meeting.
meetingActionSounds.selectDefaultJoinMeetingSound		Select default join meeting sound during the meeting.
meetingActionSounds.selectDefaultLeaveMeetingSound		Select default leave meeting sound during the meeting.
meetingActionSounds.selectDefaultLobbyNotificationSound		Select default lobby notification sound during the meeting.
meetingActionSounds.selectDefaultRaiseHandSound		Select default raise hand sound during the meeting.
meetingActionSounds.turnOnChatSound		Turn on chat sound during the meeting.
meetingActionSounds.turnOnJoinMeetingSound		Turn on join meeting sound during the meeting.
meetingActionSounds.turnOnLeaveMeetingSound		Turn on leave meeting sound during the meeting.
meetingActionSounds.turnOnLobbyNotificationSound		Turn on lobby notification sound during the meeting.
meetingActionSounds.turnOnRaiseHandSound		Turn on raise hand sound during the meeting.
meetingInfoControls.copyMeetingLink		Copy meeting link to clipboard
meetingOptions.disallowAnyoneCanShare		Disallow anyone to share in the meeting options page.
meetingOptions.disallowPollingAndQA		Disallow polling and Q&A in the meeting options page.
meetingOptions.disallowRaiseHand		Disallow the raise hand feature in the meeting options page.
meetingOptions.disallowUnmute		Disallow unmute in the meeting options page.
meetingOptions.disallowVideoUnmute		Disallow video unmute in the meeting options page.
meetingOptions.disallowViewParticipants		Disallow normal participants from viewing the roster list in the meeting options page.
meetingOptions.openMeetingOptions		Click meeting options menu item during the meeting.
meetingOptions.setMeetingMuteOnEntry		Force new participants to join the meeting muted.
meetingSettings.gridViewVideoCount		Rendered video count

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
mfplat_exists		Internal client behavior
microphone_init		This event is triggered when the microphone functionality is initialized in the Webex meeting.
mobileFile3DShareOptions.share3DFileMenu		Open menu in 3D Share.
multipleMeetings.openMeeting		The count of the number of concurrent meetings
multipleWindows.allowForOptionSharedContent		Allow auto popout of shared content in meeting settings.
multipleWindows.popoutEmbeddedAppManually		Pops out the embedded app during the meeting.
multipleWindows.popoutInMeetingChatAuto		Automatically pops out the in-meeting chat panel during the meeting.
multipleWindows.popoutInMeetingChatManually		Manually pops out the in-meeting chat panel during the meeting.
multipleWindows.popoutPlistAuto		Automatically pops out the participant list panel during the meeting.
multipleWindows.popoutPlistManually		Manually pops out the participant list panel during the meeting.
multipleWindows.popoutSharedContentAuto		Automatically pops out shared content during the meeting.
multipleWindows.popoutSharedContentManually		Manually pops out shared content during the meeting.
mute_local_audio_stream		Triggered when local audio stream is muted during a session
muteFromTaskBar.connectCallMuteService		Create instance of call mute service
muteFromTaskBar.muteSelfFromTaskBar		Mute audio during the meeting using the Windows taskbar or the microphone mute button on keyboard.
muteFromTaskBar.unmuteSelfFromTaskBar		Unmute audio during the meeting using the Windows taskbar or the microphone mute button on keyboard.
nativeSlido.clickSlido		Click "Slido" icon in the Apps panel or More menu.
onSessionLeave		Leave webex session
onVideoSessionJoinSuccess.mediaOverSgnChn_false		True or false that media data (e.g., audio, video, or other multimedia content) is transmitted or processed over a signaling channel.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
ordered_list_count		Click the text ordered list button
otherInMeetingActions.clickMeetingMoreButton		Click the 'More' button to access additional meeting options.
person_mention_count		Click the mention button
PhoneWordEnabled		Internal client behavior
pictureInPicture.mobilePictureInPictureOff		Disable picture-in-picture mode on mobile.
pictureInPicture.mobilePictureInPictureOn		Enable picture-in-picture mode on mobile.
PlatformErrorReportStatus		Internal client behavior
PlayAudioFile		Click the play button to play the audio file
plist.plistChatWithAttendee		Initiate chat with a meeting attendee from participant list panel.
plist.plistExpelAttendee		Remove an attendee from the meeting.
plist.plistHostLowerAllHands		Lower all raised hands as the host.
plist.plistHostLowerOtherHand		Lower one participant's raised hand as the host.
plist.plistHostMuteAttendee		Mute an attendee's audio as the host.
plist.plistHostUnmuteAttendee		Unmute attendee's audio as the host.
plist.plistMakeCohost		Assign a participant as a co-host.
plist.plistMakeHost		Assign a participant as the host.
plist.plistMakePresenter		Assign a participant as the presenter.
plist.plistReclaimHostRole		Reclaim the host role from another participant.
plist.plistRemoveCohost		Remove a participant's co-host role.
plist.plistSelfLowerHand		Lower raised hand.
plist.plistSelfMuteAttendee		Mutes their own audio as an attendee.
plist.plistSelfUnmuteAttendee		Unmute attendee audio.
plist.plistSortByName		Sort the participant list by name.
plist.plistSortByRaisedHand		Sort the participant list by raised hands.
plist.plistSortBySpeaker		Sort the participant list by active speakers.
PlistChatWithAttendee		Click the direct chat on attendee's context menu to open the 1:1 chat with attendee
PlistCreateSpaceWithAttendee		Click the create space on attendee's context menu to create a 1:1 chat outside the Meeting
PopoutInMeetingChatAuto		Select to popout in meeting chat automatically
PopoutInMeetingChatManually		Select to popout in meeting chat manually
popoutVideos.popoutVideoFromMenu		Pop out video from the menu button.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
preformatted_text_count		Click the text preformatted button
proximitySettingsResults		Proximity settings is recorded.
pstnProvisional.provisionalCallMe		Use PSTN with PSTN CallBack from the interstitial page or switches audio during the meeting.
pstnProvisional.provisionalInternalCallMe		Use PSTN with PSTN internal CallBack from the interstitial page or switches audio during the meeting.
pstnProvisional.selfMuteAttendee		Mute themselves when PSTN is connected during the meeting.
pstnProvisional.viewCallInNumber		Use PSTN with PSTN CallIn from the interstitial page or switches audio during the meeting.
raiseHand.gestureRaiseHand		Raise hand using a gesture.
raiseHand.lowerAllHand		Lower all raised hands in the meeting.
raiseHand.lowerOtherHand		Lower one participant's raised hand.
raiseHand.lowerSelfHand		Lower raised hand.
raiseHand.raiseSelfHand		Raise hand.
React		React to an existing emoji
reaction.gestureReactionClappingHands		Send clapping hands gesture reaction.
reaction.gestureReactionFoldedHands		Send folded hands gesture reaction.
reaction.gestureReactionHeart		Send heart gesture reaction.
reaction.gestureReactionRaisingHands		Send raising hands gesture reaction.
reaction.gestureReactionThumbsDown		Send thumbs down gesture reaction.
reaction.gestureReactionThumbsUp		Send thumbs up gesture reaction.
reaction.reactionDisplayNameDisabled		Disable showing names with reactions.
reaction.reactionDisplayNameEnabled		Enable showing names with reactions.
reaction.sendReactionCelebrate		Celebrate reaction.
reaction.sendReactionClappingHands		Clapping hands reaction.
reaction.sendReactionDisabled		Disable sending reactions.
reaction.sendReactionEnabled		Enable sending reactions.
reaction.sendReactionFire		Send fire reaction.
reaction.sendReactionFoldedHands		Send folded hands reaction.
reaction.sendReactionHaha		Send haha reaction.
reaction.sendReactionHeart		Send heart reaction.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
reaction.sendReactionPrayer		Send prayer reaction.
reaction.sendReactionSad		Send sad reaction.
reaction.sendReactionSlowDown		Send slow down reaction.
reaction.sendReactionSmile		Send smile reaction.
reaction.sendReactionSpeedUp		Send speed up reaction.
reaction.sendReactionThumbsDown		Send thumbs down reaction.
reaction.sendReactionThumbsUp		Send thumbs up reaction.
reaction.sendReactionToService		Send reaction to the Webex service.
reaction.sendReactionWow		Send wow reaction.
recordingInMeeting.automaticRecording		Automatically start recording when the meeting starts
recordingInMeeting.openMeetingRecordingDialog		Open recording dialog.
recordingInMeeting.pauseCloudRecording		Pause ongoing cloud recording during a meeting.
recordingInMeeting.pauseLocalRecording		Pause ongoing local recording during a meeting.
recordingInMeeting.recordingErrorCode		Store error code for trouble shooting
recordingInMeeting.resumeCloudRecording		Resume a previously paused cloud recording during a meeting
recordingInMeeting.resumeLocalRecording		Resume a previously paused local recording during a meeting
recordingInMeeting.startCloudRecording		Start a new cloud recording during a meeting.
recordingInMeeting.startLocalRecording		Start a new local recording during a meeting.
recordingInMeeting.stopCloudRecording		Stop the ongoing cloud recording during a meeting.
recordingInMeeting.stopLocalRecording		Stop the ongoing local recording during a meeting.
recordingLayoutControls.disableSyncStageView		Disable sync stage view during the meeting.
recordingLayoutControls.enableSyncStageView		Enable sync stage view during the meeting.
recordingLayoutControls.selectContentLayoutProminent		Select the content layout as prominent during the meeting.
recordingLayoutControls.selectContentLayoutSingle		Select the content layout as single during the meeting.
recordingLayoutControls.selectContentLayoutSinglePlusSpeaker		Select the content layout as single plus speaker during the meeting.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
recordingLayoutControls.selectVideoLayoutBackgroundOnly		Select the video layout as background only during the meeting.
recordingLayoutControls.selectVideoLayoutEqual		Select the video layout as equal during the meeting.
recordingLayoutControls.selectVideoLayoutProminent		Select the video layout as prominent during the meeting.
recordingLayoutControls.selectVideoLayoutSingle		Select the video layout as single during the meeting.
remoteControl.remoteControlGiveControlScreen		Give control to the controller during screen sharing in the meeting.
remoteControl.remoteControlGrantControlScreen		Grant control to the controller during screen sharing in the meeting.
remoteControl.remoteControlPrivilege		Click on one of the auto-accept remote control options during the meeting.
remoteControl.remoteControlRequestControlScreen		Request remote control during screen sharing in the meeting.
remoteControl.remoteControlTakeControlScreen		Take remote control of the presenter during screen sharing in the meeting.
Reply		Reply to selected message
returnToInmeetOptionClicked		Click the return button to go back to meeting options panel
ringTone.downloadRingTone		Ring tone has been downloaded
ringTone.parseRingTone		Indicate if ringtone was parsed correctly (e.g., correct format)
ringTone.playRingTone		Play ringtone
shareControlBarAction.annotateLocal		Annotate shared content locally.
shareControlBarAction.changeShareControlBarDirection		Change the orientation of the share control bar.
shareControlBarAction.enterCleanMode		Enter clean mode, hiding unnecessary UI elements during sharing.
shareControlBarAction.excludeWebexFromShare		Exclude the Webex window from screen sharing.
shareControlBarAction.hfpsShareInControlBar		Enable high frame rate sharing from the control bar.
shareControlBarAction.hidePIP		Hide the picture-in-picture window during sharing.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
shareControlBarAction.includeWebexInShare		Include Webex window in screen sharing.
shareControlBarAction.moveLocalShareControlBarToAnotherScreen		Move the local share control bar to another screen.
shareControlBarAction.moveShareControlBar		Reposition the share control bar.
shareControlBarAction.normalShareInControlBar		Enables normal frame rate sharing from the control bar.
shareControlBarAction.shareAudioInControlBar		Enable audio sharing from the control bar.
shareControlBarAction.shareAutoDetectInControlBar		Enable auto-detection for sharing from the control bar.
shareControlBarAction.sharePreviewHide		Hide the share preview window.
shareControlBarAction.sharePreviewShow		Show the share preview window.
shareControlBarAction.showPIP		Show the picture-in-picture window during sharing.
shareDialogAction.changeSharePreference		Modify preferences in the share dialog
shareDialogAction.hfpsShare		Select high frame rate sharing in the share dialog.
shareDialogAction.normalShare		Select normal frame rate sharing in the share dialog.
shareDialogAction.openShareDialog		Open the share dialog to select content.
shareDialogAction.shareAudio		Enable audio sharing in the share dialog.
shareDialogAction.shareAutoDetect		Select auto optimization for sharing quality in the share dialog.
shareDialogAction.shareCameraPreviewCount		The number of camera previews in the share dialog.
shareInStage.mobileShareInStageOn		Enable mobile sharing in stage during the meeting.
shareOtherAction.annotateRemote		Annotate content shared by another participant.
shareOtherAction.attendeeReviewFileSharing		Attendee client receives and renders by another attendee.
shareOtherAction.changeDefaultShowPIP		Change the default setting for showing picture-in-picture during sharing.
shareOtherAction.disableLimitShareFps		Disable frame rate limit for sharing.
shareOtherAction.disableShareHWAcceleration		Disable hardware acceleration for sharing.
shareOtherAction.enableLimitShareFps		Enable frame rate limit for sharing.
shareOtherAction.enableShareHWAcceleration		Enable hardware acceleration for sharing.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
shareOtherAction.excludeWindowForHfpsShare		Exclude a specific window from high frame rate sharing.
shareOtherAction.maxSharedContentNumber		Reached the maximum pages of shared content.
shareOtherAction.minimizeMainWindowInLocalShare		Presenter minimizes the main window during the local sharing.
shareOtherAction.popupShareContextMenu		Open the context menu for sharing options.
shareOtherAction.shareComputerAudioAlertShown		An alert shows when the user tries to share the computer audio.
shareOtherAction.shareComputerAudioOnAlertClicked		Enable sharing computer audio after clicking an alert.
shareOtherAction.shareMaximize		Maximize sharing window.
shareOtherAction.shareMinimize		Minimize sharing window.
shareOtherAction.shareZoomIn		Zoom in on the sharing.
shareOtherAction.shareZoomOut		Zooms out on the sharing.
shareOtherAction.shareZoomReset		Reset zoom level of the shared content
shareOtherAction.switchSharedContent		Switch to a different shared content item.
shareOtherAction.twoFingerTapMagnify		Magnify shared content with a two-finger tap.
shareOtherAction.twoFingerTapMinify		Minify shared content with a two-finger tap.
shareOtherAction.useMacSystemSharingPicker		Use macOS system sharing picker for sharing.
shareProcessStatus.cancelShare		Cancel sharing of of the given process.
shareProcessStatus.grabOthersShare		Interrupt other participant's sharing to start own sharing.
shareProcessStatus.pauseShare		Presenter pauses the sharing.
shareProcessStatus.resumeShareAfterGrabbed		Presenter resumes sharing after being interrupted.
shareProcessStatus.resumeShareAfterPaused		Presenter resumes sharing after pausing
shareProcessStatus.shareFromTaskbar		Initiate sharing from the taskbar.
shareProcessStatus.shareSomethingElse		Share a different content source.
shareProcessStatus.shareSourceLinkClicked		Click the link from the sharing control bar
shareProcessStatus.stopShare		Stop sharing.
shareProcessStatus.stopShareFromTaskbar		Stop sharing from the taskbar.
shareProcessStatus.stopSharingAllSources		Stop sharing all content sources.
shareProcessStatus.stopSharingOneSource		Stop sharing a specific content source.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
shareShortcut.shortcutPauseResumeShare		Click the pause or resume share shortcut during the meeting.
shareShortcut.shortcutShareContent		Click the start share shortcut during the meeting.
shareShortcut.shortcutShareZoomIn		Click the zoom in shortcut during the meeting.
shareShortcut.shortcutShareZoomOut		Click the zoom out shortcut during the meeting.
shareShortcut.shortcutStartAnnotate		Click the start annotate shortcut during the meeting.
shareShortcut.shortcutStartRemoteControl		Click the start remote control shortcut during the meeting.
shareShortcut.shortcutStopRemoteControl		Click the stop remote control shortcut during the meeting.
shareShortcut.shortcutStopShare		Click the stop share shortcut during the meeting.
shareType.shareApplication		Presenter starts the application sharing.
shareType.shareBox		Share a link to cloud storage file (e.g., Box, OneDrive).
shareType.shareCamera		Share camera feed.
shareType.shareDesktopFile		Share file
shareType.shareDesktopFileTakeControl		Take control of a shared file.
shareType.shareEmbeddedAppStream		Share stream from an embedded app.
shareType.shareiOS		Share content from an iOS device.
shareType.shareMobileFile3D		Share a 3D file from a mobile device.
shareType.shareMobileFileImage		Share an image file from a mobile device.
shareType.shareMobileFilePdf		Share a PDF file from a mobile device.
shareType.sharePortion		Share a portion of screen.
shareType.shareScreen		Share the entire screen.
shareType.shareWindow		Share a specific window.
sidePanel.collapseDesktopPanel		Collapse the right side panel of call window.
sidePanel.expandDesktopPanel		Expand the right side panel of call window.
sidePanel.openDesktopPanel		Open the right side panel of call window.
sidePanel.openDesktopPanelApp		Open the app section in the right side panel of call window.
sidePanel.openDesktopPanelCaptions		Open the captions section in the right side panel of call window.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
sidePanel.openDesktopPanelChat		Open the chat section in the right side panel of call window.
sidePanel.openDesktopPanelContent		Open the content section in the right side panel of call window.
sidePanel.openDesktopPanelRoster		Open the participant roster in the right side panel of call window.
sidePanel.openMorePanelsMenu		Open the menu for additional side panel options.
sidePanel.popInDesktopPanel		Dock the side panel back into the main window.
sidePanel.popOutDesktopPanel		Undock the side panel into a separate window.
simultaneousInterpretation.chooseInterpretationChannel		Chooses an interpretation channel in the SI menu during the meeting.
simultaneousInterpretation.handoverActiveInterpreterRole		Hand over the active interpreter role to the next interpreter during the meeting.
simultaneousInterpretation.joinSIEnabledMeeting		Join an SI-enabled meeting.
simultaneousInterpretation.openInterpretationDialog		Open interpretation dialog during the meeting.
simultaneousInterpretation.openManageInterpretationDialog		Open manage interpretation dialog during the meeting.
simultaneousInterpretation.requestActiveInterpreterRole		Request active interpreter role from the current interpreter during the meeting.
simultaneousInterpretation.responseHandoverActiveInterpreter		Respond to the handover active interpreter event during the meeting.
simultaneousInterpretation.responseRequestActiveInterpreter		Respond to the request active interpreter event during the meeting.
simultaneousInterpretation.retrieveAvailableLanguages		Retrieve available languages during the meeting.
simultaneousInterpretation.retrieveInterpretersInfo		Retrieve interpreters' information from during the meeting.
simultaneousInterpretation.selectSignInterpretationLanguage		Selects a sign interpretation language during the meeting.
simultaneousInterpretation.switchSelfInterpreterLanguage		Switch interpreter language channel during the meeting.
simultaneousInterpretation.toggleEnableSignInterpretation		Enable the sign interpreter feature during the meeting.
simultaneousInterpretation.updateInterpreterList		Update interpreter list during the meeting.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
simultaneousInterpretation.updateSIInterpreterInfo		Update interpreter information, such as channel number and interpreter count
skinTone.setSkinToneDark		Set the skin tone to a dark shade.
skinTone.setSkinToneFromFTE		Applies a skin tone based on the first-time experience (FTE) settings
skinTone.setSkinToneLight		Set the skin tone to a light shade.
skinTone.setSkinToneMedium		Set the skin tone to a medium shade.
skinTone.setSkinToneMediumDark		Set the skin tone to a medium dark shade.
skinTone.setSkinToneMediumLight		Set the skin tone to a medium light shade.
skinTone.setSkinToneNo		Remove any applied skin tone customization.
speechEnhancementMode.allVoices		Enable audio enhancement for all voices in the meeting.
speechEnhancementMode.backgroundNoiseRemoval		Enable background noise removal for audio.
speechEnhancementMode.musicMode		Enable audio optimization for music mode during the meeting.
speechEnhancementMode.myVoiceOnly		Enable audio enhancement for own voice.
stepAway.stepAwayAuto		Automatically marked as stepped away during the meeting.
stepAway.stepAwayCall		Step away from the meeting to originate or receive a call.
stepAway.stepAwayManual		Step away from the meeting manually during the session.
stepAway.stepBack		Step back into the meeting from a stepped-away state.
stepAway.videoPipStepAway		Step away from the meeting using the video PiP option.
strikethrough_count		Click the text strikethrough button
subscript_count		Click the text subscript button
superscript_count		Click the text superscript button
support_discover_devices		Internal client behavior
syncSystemMuteStatus.popupSystemSpeakerMutedNotification		Show System speaker muted notification
syncSystemMuteStatus.syncMeetingMicUnmuteStatusToSystem		Sync meeting unmute status to system

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
syncSystemMuteStatus.syncSystemMicMuteStatusToMeeting		Sync meeting mute status to system
syncSystemMuteStatus.unmuteSystemSpeakerFromMeeting		Internal client behavior
syncTheStage.desyncMyStageForAll		Stopped synchronizing stage for everyone.
syncTheStage.discardStageChanges		Discard changes made to the stage.
syncTheStage.lockStageForAll		Lock the stage for everyone.
syncTheStage.syncMyStageForAll		Synchronized stage for everyone.
syncTheStage.unlockStageForAll		Unlock the stage for everyone.
syncTheStage.updateMyStageForAll		Update stage for everyone.
telephony_layouts_record		Call window layout settings are recorded.
text_format		Click the text format button
thirdPartyApp.backToApps		Click "back to Apps" button during the meeting.
thirdPartyApp.clickAppsButtonCount		Click "apps" button during the meeting.
thirdPartyApp.clickWebAppButtonCount		Click "app name" button (disable "anyone can share" or guest mode display on control bar) during the meeting.
thirdPartyApp.endSession		Click "close for all" to end the session during the meeting.
thirdPartyApp.sharingWebappButtonClicked		Click "app" button from the app picker "in meeting" section during the meeting.
thirdPartyApp.startSession		Click "open for all" to start the session during the meeting.
thirdPartyApp.streamSummary		Close "open for all" or ends the meeting
thirdPartyApp.webappButtonClicked		Click app button from the app picker during the meeting.
thumbnailsSwitchPage.filmStrip		Switch the pages under the stack or side-by-side layout in call window
thumbnailsSwitchPage.gridView		Switch the page under grid layout in call window
transcriptLanguage.transcriptBackToDefaultPosition		Reset transcript window to its default position.
transcriptLanguage.transcriptChangeFontSize		Change the font size of the transcript.
transcriptLanguage.transcriptChangeModeToDark		Change transcript to dark mode.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
transcriptLanguage.transcriptChangeModeToLight		Change transcript to light mode.
transcriptLanguage.transcriptChangeSpeakLanguage		Change the language for transcription.
transcriptLanguage.transcriptDisableCloseCaptionDialogForActiveCCOpen		Disable closed caption dialog when captions are active.
transcriptLanguage.transcriptDisableCloseCaptionDialogViaCCButton		Disable closed caption dialog using the CC button.
transcriptLanguage.transcriptDisableCloseCaptionDialogViaCCDialog		Disable closed caption dialog via the CC dialog.
transcriptLanguage.transcriptDisableManualCloseCaptionDialog		Disable manual closed caption dialog.
transcriptLanguage.transcriptEnableCloseCaptionDialog		Enable closed caption dialog.
transcriptLanguage.transcriptEnableManualCloseCaptionDialog		Enable the manual closed caption dialog.
transcriptLanguage.transcriptHideHighlightPanelViaCloseButton		Hide transcript highlight panel using the close button on the close caption window.
transcriptLanguage.transcriptHideHighlightPanelViaCloseCaption		Hide transcript highlight panel via closed captions button.
transcriptLanguage.transcriptOpenLanguageDialog		Open language selection dialog for transcription.
transcriptLanguage.transcriptResizeCC		Resize closed caption window.
transcriptLanguage.transcriptSaveTranscript		Save meeting transcript.
transcriptLanguage.transcriptSubscribeTransLanguage		Subscribe to a specific transcription language.
transcriptLanguage.transcriptTurnOffWebexAssistantDialog		Turn off the Webex Assistant dialog.
transcriptLanguage.transcriptTurnOnWebexAssistantDialog		Turn on the Webex Assistant dialog.
transcriptLanguage.transcriptUnsubscribeTransLanguage		Unsubscribe transcription language.
transcriptLanguage.transcriptViewHighlightPanelViaCloseCaption		View the transcript highlight panel via more button on closed captions window.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
transcriptLanguage.transcriptViewHighlightPanelViaWebexAssistantDialog		View the transcript highlight panel via the Webex Assistant dialog.
transcriptLanguage.transcriptViewHighlightPanelWhenEnableWebexAssistant		View the transcript highlight panel when enabling Webex Assistant.
UcfFeatureUsage		Overall event name for Feature Usage. (see the Feature Usage Events sheet)
underline_count		Click the text underline button
Unflag		Unflags a message
unordered_list_count		Click the text unordered list button
used_devices		Internal client behavior
videoBackgroundSettingChange		Video background settings are stored.
videoCaptureTypeChange		Video capture type is stored.
videoColorBoosting.adjustBrightness		Adjust the brightness of the video color.
videoColorBoosting.adjustContrast		Adjust the contrast of the video color.
videoColorBoosting.adjustSaturation		Adjust the saturation of video feed.
videoColorBoosting.autoColorBoosting		Enable automatic video color boosting.
videoColorBoosting.manualColorBoosting		Enable manual video color boosting.
videoControl.externalCameraSelected		Selects an external camera as the active video input.
videoControl.iPhoneCameraDetected		Detected iPhone Camera
videoControl.iPhoneCameraSelected		Selects iPhone camera as the active video input.
videoControl.muteParticipantVideo		Turns off the video of a specific participant.
videoControl.muteSelfVideo		Turn off video
videoControl.switchCameraDevice		Switches the camera device.
videoControl.switchLastCameraDevice		Switch back to the previously used camera device.
videoControl.unmuteSelfVideo		Turn on video
videoEnhancements.disableSmartRelighting		Disable smart relighting.
videoEnhancements.enableSmartRelighting		Enable smart relighting.
videoLayout.focusView		Switch to a focus view layout, emphasizing the active speaker.
videoLayout.gridView		Switch to grid view for the video layout.
videoLayout.sideBySideView		Switch to a side-by-side view layout for video and content.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
videoLayout.stackView		Switch to stack view for the video layout.
videoLayoutEnhancement.hideRemoteVideoInPairedMeeting		Hide remote video in a meeting with device paired.
videoLayoutEnhancement.showRemoteVideoInPairedMeeting		Show remote video in a meeting with device paired.
videoLayoutEnhancement.videoNumberDowngrade		The number of remote videos degrades.
videoOffMode.mobileDataPreferenceOff		Disable video-off preference for mobile data usage.
videoOffMode.mobileDataPreferenceOn		Enable video-off preference for mobile data usage.
videoOffMode.mobileLowBatteryPreferenceOff		Disable video-off preference for low battery on mobile.
videoOffMode.videoDisable		Disable video entirely during the meeting.
videoOffMode.videoReEnable		Re-enables video during the meeting.
videoSettings.autoSelectCameraOff		Disables automatic selection of the camera device.
videoSettings.autoSelectCameraOn		Enables automatic selection of the camera device.
videoSettings.cameraResolution		Adjusts the resolution settings for the selected camera.
videoSettings.zoomToFitOff		Disables the zoom-to-fit feature, which automatically adjusts the video frame.
virtualBackground.sendingVBGAdminUploadImage		Apply an admin-uploaded image as a virtual background.
virtualBackground.sendingVBGAuroraMp4		Apply the Aurora MP4 virtual background.
virtualBackground.sendingVBGBeach		Apply the Beach virtual background.
virtualBackground.sendingVBGBlur		Apply the Blur virtual background.
virtualBackground.sendingVBGCustomizedGif		Apply a customized GIF as a virtual background.
virtualBackground.sendingVBGCustomizedImage		Apply a customized image as a virtual background.
virtualBackground.sendingVBGCustomizedMov		Apply a customized MOV file as a virtual background.
virtualBackground.sendingVBGCustomizedMp4		Apply a customized MP4 file as a virtual background.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
virtualBackground.sendingVBGDark		Apply the Dark virtual background.
virtualBackground.sendingVBGDaylight		Apply the Daylight virtual background.
virtualBackground.sendingVBGExecutiveOffice		Apply the Executive Office virtual background.
virtualBackground.sendingVBGFlow		Apply the Flow virtual background.
virtualBackground.sendingVBGFountain		Apply the Fountain virtual background.
virtualBackground.sendingVBGHomeOffice		Apply the Home Office virtual background.
virtualBackground.sendingVBGLava		Apply the Lava virtual background.
virtualBackground.sendingVBGLookout		Apply the Lookout virtual background.
virtualBackground.sendingVBGObjects		Apply the Objects virtual background.
virtualBackground.sendingVBGSilhouetteMp4		Apply the Silhouette MP4 virtual background.
virtualBackground.sendingVBGSpheres		Apply the Spheres virtual background.
virtualBackground.sendingVBGSummit		Apply the Summit virtual background.
webexOptions.viewAccessibilitySetting		View accessibility settings in Webex.
webexOptions.viewAppearanceSetting		View appearance settings in Webex.
webexOptions.viewAudioSetting		View audio settings in Webex.
webexOptions.viewBackgroundSetting		View virtual background settings in Webex.
webexOptions.viewCallingSetting		View calling settings in Webex.
webexOptions.viewDevicesSetting		View device settings in Webex.
webexOptions.viewGeneralSetting		View general settings in Webex.
webexOptions.viewIntegrationsSetting		View integrations settings in Webex.
webexOptions.viewMeetingsSetting		View meetings settings in Webex.
webexOptions.viewMessagingSetting		View messaging settings in Webex.
webexOptions.viewNotificationsSetting		View notifications settings in Webex.
webexOptions.viewPrivacySetting		View privacy settings in Webex.
webexOptions.viewSharingContentSetting		View content sharing settings in Webex.
webexOptions.viewVideoSetting		View video settings in Webex.
whiteboard.createAnnotation		Click the annotation button to create a new annotation board.
whiteboard.getWhiteboardContent		Fetch whiteboard content but the session is interrupted before completion.
whiteboard.newWhiteboard		Clicks the "New Whiteboard" button to create a new whiteboard.
whiteboard.openExistingWhiteboard		Open an existing whiteboard from the whiteboard picker window.

Event Name (FeatureName.actionName)	Event sub-name (onboardingTag) (where available)	Description
whiteboard.openWhiteboard		Opens the shared whiteboard.
whiteboard.previewBack		Navigate back after previewing a whiteboard.
whiteboard.previewExistWhiteboard		Preview an existing whiteboard.
whiteboard.saveWhiteboardAsPdf		Click the "Download as PDF" button to save the whiteboard as a PDF.
whiteboard.shareAnnotation		Share annotation board with others.
whiteboard.shareAnnotationStopped		Stop sharing the annotation board or ends the annotation session.
whiteboard.shareWhiteboard		Share the whiteboard with others.
whiteboard.shareWhiteboardStopped		Stop sharing the whiteboard or ends the whiteboard session.
whiteboard.showExistingWhiteboardList		Open the whiteboard picker window to view the list of existing whiteboards.
whiteboard.viewOneWayWhiteboard		Switched to a one-way whiteboard after failing to get the channel type from the server.
whiteboard.warholLoadTimeout		Opening whiteboard timed out
windowsProximityMicrophoneType		Proximity microphone type is recorded.